

EAST: [EAST_Text_Search.wsp:1]

File View Edit Tools Window Help

☐ Pending
☒ **Active**
☐ L2: (117) (lamp or (light adj source)) and (discharge
☐ L4: (6) 3 and mode
☐ L3: (11) 2 and start\$3 and stabilized
☐ L5: (212) (lamp or (light adj source)) and (discharge
☐ L6: (154) (lamp or (light adj source)) and (discharge
☐ L8: (5) 7 and start\$3 and stabilized
☐ L7: (108) 6 and (power near 2 suppl\$4)
☐ Failed
☐ Saved
☐ Favorites
☐ Tagged (0)
☐ UDC
☐ Queue
☐ Trash

DBs: US-PGPUB; USPAT; EPO; JPO; DERWENT

Default operator: DR

☒ BRS
☒ Highlight all hit terms exactly

BRS form 154R form Image Text HTML

	Type	L#	Hits	Search Text	DBs	Time Stamp	Comments	Er	Errs
1	BRS	L2	117	(lamp or (light adj source)) and (discharge adj tube) and (power adj control)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/02/21 20:02			
2	BRS	L4	6	3 and mode	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/02/21 19:32			
3	BRS	L3	11	2 and start\$3 and stabilized	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/02/21 20:03			
4	BRS	L5	212	(lamp or (light adj source)) and (discharge adj tube) and (set\$4 near 4 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/02/21 20:03			
5	BRS	L6	154	(lamp or (light adj source)) and (discharge adj tube) and (set\$4 near 2 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/02/21 20:03			
6	BRS	L8	5	7 and start\$3 and stabilized	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/02/21 20:06			
7	BRS	L7	108	6 and (power near 2 suppl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/02/21 20:25			



☒ Highlight all red letters & words

BR5 type E8A icon Image Test HTML








EAST - [EAST_Text_Search.wsp:1]

File View Edit Tools Window Help

☐ Pending
☒ **Active**
☐ Failed
☐ Saved
☐ Favorites
☐ Tagged (0)
☐ UDC
☐ Queue
☐ Trash

L1: (156) ((light adj source) or lamp) and (discharge
 L2: (2) 1 and (power near3 (rated and saving))
 L3: (8) 1 and (power near3 (rated or saving))
 L4: (10) 1 and projector
 L6: (5) 5 and (rated with power with supply\$3 with unit
 L7: (1) 6 and ((light adj source) or lamp) and (discharge
 L5: (980) (light\$3 with mode with set\$4 with unit)
 L9: (2) 8 and (halogen adj cycle)
 L8: (31) 5 and ((light adj source) or lamp) and (discharge
 L10: (30) 5 and projector
 L11: (25) 10 and ((light adj source) or lamp or (discharge

DBs: US-PGPUB; USPAT; EPO; JPO; DERWENT
 Default operator: OR

☒ BRS
☒ Highlight all hit terms exactly

BRS form ISIR form Image Text HTML

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Er	Err
1	BRS	L1	156	((light adj source) or lamp) and (discharge adj tube) and control\$4 and (light\$3 near2 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/02/07 16:10			
2	BRS	L2	2	1 and (power near3 (rated and saving))	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/02/07 15:56			
3	BRS	L3	8	1 and (power near3 (rated or saving))	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/02/07 16:02			
4	BRS	L4	10	1 and projector	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/02/07 16:36			
5	BRS	L6	5	5 and (rated with power with supply\$3 with unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/02/07 16:14			
6	BRS	L7	1	6 and ((light adj source) or lamp) and (discharge adj tube) and control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/02/07 16:32			
7	BRS	L5	980	(light\$3 with mode with set\$4 with unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/02/07 16:31			
8	BRS	L9	2	8 and (halogen adj cycle)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/02/07 16:33			
9	BRS	L8	31	5 and ((light adj source) or lamp) and (discharge adj tube) and control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/02/07 16:36			
10	BRS	L10	30	5 and projector	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/02/07 16:36			
11	BRS	L11	25	10 and ((light adj source) or lamp or (discharge adj tube)) and control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/02/07 16:46			

☒ Home
☒ Details
☒ HTML

Ready

[illegible]

 Halo
  Dota
  HTML